Weld-On Lifting Point loadable from any side - stainless steel

> INOX-ABA <





STAINLESS STEEL

Safety instructions

This safety instruction has to be kept on file for the whole lifetime of the product and forwarded with the product. Translation of the original safety instruction



RUD Ketten

Rieger & Dietz GmbH u. Co. KG 73428 Aalen Tel. +49 7361 504-1370 Fax +49 7361 504-1171 sling@rud.com www.rud.com



INOX-ABA

	EC-Declaration of conformity
EG-Konformitätserklärung	According to the EC-Machinery Directive 2006/42/EC, annex II A and amendments
entsprechend der EG-Maschinenrichtlinie 2006/42/EG, Anhang II A und ihren Änderunge Hersteller: RUD Ketten Rieger & Dietz GmbH u. Co. KG Friedensinsel 73432 Aalen	Manufacturer: RUD Ketten Rieger & Dietz GmbH u. Co. KG Friedensinsel 73432 Aalen
Hiermit erklären wir, dass die nachfolgend bezeichnete Maschine aufgrund ihrer Konzipie- rung und Bauart, sowie in der von uns in Verkehr gebrachten Ausführung, den grundle- genden Sicherheits- und Gesundettsanforderungen der EG-Maschinenrichtlinie 2006/42/EG sowie den unten aufgeführten harmonisierten und nationalen Normen sowie technischen Spezifikationen entspricht. Bei einer nicht mit uns abgestimmten Anderung der Maschine verliert diese Erklärung ihre	We hereby declare that the equipment sold by us because of its design and construction, as mentioned below, corresponds to the appropriate, basic requirements of safety and health of the corresponding EC-Machinery Directive 2006/42/EC as well as to the below mentioned harmonized and national norms as well as technical specifications. In case of any modification of the equipment, not being agreed upon with us, this declara- tion becomes invalid.
Gültigkeit.	Product name: Lifting point for welding INOX
Produktbezeichnung: Anschlagpunkt starr INOX-ABA	
Folgende harmonisierten Normen wurden angewandt: DIN EN 1677-1 : 2009-03 DIN EN ISO 12100 : 2011-03	Diversion Diversion <thdiversion< th=""> <thdiversion< th=""> <thd< td=""></thd<></thdiversion<></thdiversion<>
Folgende nationalen Normen und technische Spezifikationen wurden außerdem angewandt: DGUV-R 109-017 : 2020-12	The following national norms and technical specifications were applied: DGUV-R 109-017 : 2020-12
Für die Zusammenstellung der Konformitätsdokumentation bevollmächtigte Person: Michael Betzler, RUD Ketten, 73432 Aalen	Authorized person for the configuration of the declaration documents: Michael Betzler, RUD Ketten, 73432 Aalen
Aalen, den 25.08.2022 Hermann Kolb, Bereichsleitung MA - Across and Marker Mark	Aalen, den 25.08.2022 Hermann Kolb, Bereichsleitung MA Hermann Kolb, Bereichsleitung MA Name, function and signature of the responsible person



Before initial usage of the RUD weld-on lifting point INOX-ABA, please read carefully the safety instructions.

Make sure that you have understood all subjected matters. Non-observance can lead to serious personal injuries and material damage and eliminates warranty.

Safety instructions

ATTENTION

Wrong assembled or damaged INOX-ABA as well as improper use can lead to injuries of persons and damage of objects when load drops.

Please inspect all INOX-ABA before each use.

- Remove all body parts (fingers, hands, arms, etc.) out of the hazard area (danger of crushing or squeezing) during the lifting process.
- INOX-ABA must only be used by instructed and competent persons considering DGUV-rules 109-017 and outside Germany noticing the country specific statutory regulations.
- The load capacity specified on the lifting point must not be exceeded.
- No technical alterations must be implemented on the INOX-ABA.
- No people may stay in the danger zone.
- Jerky lifting (strong impacts) should be prevented.
- Always ensure a stable position of the load when lifting. Swinging must be prevented.
- · Damaged or worn INOX-ABA must never be utilised.

2 Intended use

INOX-ABA must only be used for the assembly at the load or at lifting means.

They are intended to be hinged into lifting means.

INOX-ABA can also be used as lashing points to attach lashing means.

Loading from any side is permitted.

INOX-ABA must not be hot dip galvanized.

INOX-ABA must only be used in the hereby described operation purpose.

Material properties 3

The ferrite-austenite structure of 1,4462 shows excellent corrosion resistance in acidic environments. In particular in phosphoric and organic acids, also in chlorine-containing media. The corrosion resistance is higher compared to the standard austenites (e.g. 1.4301, 1.4541, 1.4404). Due to the duplex structure of the microstructure, 1.4462 is usually superior to the austenitic steels, as it is insensitive to intergranular corrosion and particularly resistant to stress corrosion cracking, pitting and crevice corrosion.

1.4462 is resistant to seawater and media containing H₂S.

RUD INOX-ABA can be used in a wide range of applications, such as in the construction industry, the chemical industry, the petroleum industry, the food industry (moderate resistance to lactic acid!), in mechanical engineering, e.g. as a FGD component, in desalination plants, OFF Shore applications and in shipbuilding.

The material 1.4462 is also suitable for applications in the nuclear technology, as far as the nuclear rules or objectrelated specifications allow the use.

Assembly- and instruction manual



The manufacturer RUD guarantees the overall conformity of the INOX-ABA only after complete and correct implementation of the assembly and welding specifications!

4.1 General information

HINT

Capability of temperature usage:

The INOX-ABA may be used in the temperature range from -40°C to 250°C. If necessary, take into account temperature-related reductions in the load-bearing capacity of other connection components used.



HINT

After use above the maximum specified temperature, further use is no longer permitted and the lifting point must be replaced.

The quality / safety of the lifting point is then no longer guaranteed.



HINT

The material 1.4462 tends to "475° embrittlement" and also to sigma phase embrittlement, therefore the use of this material is limited to temperatures below 350°C!

Exception: INOX-ABA can be stress-relieved one-time in an unloaded condition, together with the load (e.g. welded construction). Temperature < 580°C / 1050°F (one hour maximum).

- The reuse of cut-off ABAs is not permitted
- INOX-ABA must not be used with aggressive chemicals such as acids, alkaline solutions and their vapours.
- Please mark mounting position of INOX-ABA with a coloured contrast paint for better visibility.

4.2 Hints for the assembly

Basically essential:

- The material construction to which the lifting point will be attached should be of adequate strength to withstand forces during lifting without deformation. The weld-on material must be suitable for welding and the contact areas must be free from impurities, oil, colour, ect. The material of the lifting point for welding is: 1.4462
- The position of the lifting points must be carried out in such a way that unintended movement like turning or flipping will be avoided.
 - For single leg lifts the lifting point should be vertically above the centre of gravity of the load.
 - For two leg lifts the lifting points must be equidistant to/or above the centre of gravity of the load.
 - For three and four leg lifts the lifting points should be arranged symmetrical around the centre of gravity-
- Position weld-on lifting points INOX-ABA into the load force direction (compare Abb./Pic. 5 permissible WLL at different loading directions).
- Symmetry of loading: Determine the necessary WLL of each INOX-ABA for a symmetrical or an unsymmetrical load by using the following physical calculation formula:

	W	= necessary WLL (kg) of lifting point /
G]	single strand
$W_{\mu} = \frac{0}{10000000000000000000000000000000000$	G	= weight of load (kg)
‴ ∟ ⊓ x cos ß	n	= number of load bearing strands

of load (kg) of load bearing strands

ß = inclination angle of single strand

Number of load bearing strands:

	symmetric	unsymmetric		
two leg	2	1		
three / four leg	3	1		

Table 1: Load bearing strands (compare to Table 5)

· Check finally the correct assembly (see chapter 5 Inspection / repair / disposal).

4.3 Hints for the welding

Observe the following when preparing for welding:

- · Clean the welding areas.
- · Match the heat guidance during welding to the component geometry. A line energy of 1-3 kJ/mm is recommended.
- Limit interpass temperatures between 120 and 250°C.
- Avoid rapid cooling of the weld.
- For better austenite formation, it may be necessary to heat the workpiece to approx. 100°-120°C.
- The material can be welded with short-spray or impulse arc. The pulse technique is recommended.

4.4 Procedure for welding

The welding should only be carried out according to ISO 9606-1 or AWS Standards by an authorized welder.



HINT Weld all seams in the same temperature.

Procedure:

- 1 Fasten provisionally, resp. start welding in the middle of the plate.
- 2 Before the closure weld is carried out, make sure that the bottom and all interlayers are cleaned carefully. Remove all visible flaw spots of the root and at the interlayers.
- 3 Weld the fillet weld circumferentially and without interruption at the base plate of the weld-on point.

INOX-ABA

weldseam



HINT

To avoid possible crevice corrosion, please weld the lifting point circumferentially! Please observe the current DIBt technical approval Z-30.3-6, paragraph 2.1.6.2, 2.1.6.3 und 2.1.6.4.



HINT

Due to the (forged) shape of the INOX-ABA (sizes 0.8 t, 1.6 t and 2.7 t) there will be a weld-seam changeover in the marked area (see Pic. 1 A and B). This has no impact on the strength of the construction part!



Pic. 1: A:weld-seam

B: area of the weld-seamchangeover

4 Please check by a competent person after welding the ongoing usage of the INOX-ABA (see chapter 5 Inspection / repair / disposal).



HINT

By the position of the weld-seam (Fillet weld continuous) the following requirements will be observed: DIN 18800 steel constructions requires: at outdoor buildings or when strong corrosion must be expected weld seams must be carried out as continuous fillet weld seams.

4.5 User instructions

Check frequently and before each initial operation the whole INOX-ABA in regard of linger ability as a lifting mean, regarding corrosion, wear, deformation etc. (see chapter 5 Inspection / repair / disposal).



ATTENTION

Wrong positioned or damaged INOX-ABA as well as improper use can lead to injuries of persons and damage at property, when load falls down.

Please check all INOX-ABA carefully before every usage.

Please check carefully the wear indicator markings of the INOX-ABA (see Pic. 2):





marks visible.

Use prohibited Replacement criteria reached. Material all the way down to the wear lenses has gone

Pic. 2: Wear indicators

HINT

- Please note that the lifting mean must be free moveable within the INOX-ABA. When lifting means (sling chains) are hinged or unhinged, no pinching, shearing or joint spots must occur during the handling.
- Avoid damage of lifting means resulting from sharp edges.
 - If the INOX-ABA are used exclusively for lashing, the value of the working load limit can be doubled: $LC = 2 \times WLL.$



If the INOX-ABA is/was used as a lashing point, with a force higher than the WLL, it must not be used as a lifting point afterwards.

If the INOX-ABA is/was used as a lashing point, up to the WLL only, it can still be used afterwards as a lifting point.

Inspection / repair / disposal 5

5.1 Hints for periodical inspections

The operator must determine and specify the nature and scope of the required tests as well as the periods of repeating tests by means of a risk assessment (see sections 5.2 and 5.3).

The continuing suitability of the lifting point must be checked at least 1x year by an expert.

Depending on the usage conditions, f.e. frequent usage, increased wear or corrosion, it might be necessary to check in shorter periods than one year.

The inspection has also to be carried out after accidents and special incidents.

5.2 Test criteria for the regular visual inspection by the user

- Completeness of the lifting point
- Complete, readable WLL statements as well as manufacturer sign
- Deformation at load bearing components like base body
- Mechanical damage, like strong notches, especially in areas where tensile stress occurs

5.3 Additional test criteria for the competent person / repair worker

- Reduction of cross-section due to wear > 10 % (see Pic. 2) •
- Evidence of corrosion (Pitting)
- Other damage •
- · Further tests may be necessary, depending on the results of the risk assessment (e.g. testing for cracks on load-bearing parts / cracks or other damage to the weld).


5.4 Disposal

Dispose worn out components / attachments or packaging according to the local waste removal requirements.

Tables 6

Туре	size fillet weld	length	volume
INOX-ABA 0.8 t	a = 3	177 mm	1.593 cm ³
INOX-ABA 1.6 t	a = 4	251 mm	4.016 cm ³
INOX-ABA 2.7 t	a = 6	344 mm	12.38 cm ³

Table 2: Weld seam



HINT

In welding procedures 111 and 136, welding consumables with basic character may have larger approval scopes.

Heat the workpiece to approx. 100°-120°C for better austenite formation.

Pic. 3: Welding seam position

HINT

Welding process	Welding filler metal	
MAG 135	DIN EN ISO 14343: SG 22 9 3NL material number 1.4462	
WIG 141	DIN EN ISO <u>14343:WSG</u> 22 9 3NL material number 1.4462	
Electrode 111	DIN EN ISO 3581: E 22 9 3 L material number 1.4462	
Cored wire 136, 138	DIN EN ISO 17633: T 22 9 3 L material number 1.4462	

Table 3: Welding procedure and Welding filler metals

The ABA-INOX can be welded to	these base materials:	HINT Observe
on austenitic-ferritic steels	1.4417; 1,4462 (DIN EN ISA 10088 Teil 2 und Teil 3)	instructi dures a
on stainless steels	1.4301; 1.4404; 1.4435; 1.4541; 1.4550; 1.4571	as the c
on general structural steels (EN 10025)	S235; S275; S355	
to high-temperature structural steels	16Mo3	
Additional welding instructions:		
Shielding gases	DIN EN ISO 14175: M1.2, I.1 **	HINT The ac
Welding positions	PA, PB, PC, PF **	ristics of
Weld metal untreated	Minimum values at 20°C (actual values are higher. Actual values can be taken from the approval data sheets.)	be proc taken t tance te to DIN
Yield strength R _{P0,2}	480 MPa	
Ultimate tensile strength R _m	680 MPa	
Elongation at fracture A ₅	25 %	
Notched bar impact energy Av (ISO V at -60°C/>32J)	40 J	

erve the respective processing ructions for the welding procees and filler materials as well he other welding instructions.


actual material charactecs of the material batch to processed are always to be en from 3.1 or 3.2 accepce test certificates according DIN EN 10204.

** The scope of approval of the welding filler material used can be taken from the respective valid regulations (e.g. DIBt Z-30-3.6) and the valid approvals (e.g. VDTÜV, DB).

Table 4: Welding information

Method of lift	G	G	G	G	G G	β G C	ß		G	G		G
Number of legs	1	1	1	2	2	2	2	2	2	3 / 4	3/4	3 / 4
Angle of inclination	0°	90°	90°	0 °	90°	90°	0-45°	>45-60°	Un- symm.	0-45°	>45-60°	Un- symm.
Factor	1	1	1	2	2	2	1.4	1	1	2.1	1.5	1
Туре	For the	For the max. total load weight >G< in metric tons										
INOX-ABA 0.8 t	3	0.8	3	6	1.6	6	1.12 (4.24)	0.8 (3)	0.8 (3)	1.7 (6.3)	1.18 (4.5)	0.8 (3)
INOX-ABA 1.6 t	5	1.6	5	10	3.2	10	2.2 (7.1)	1.6 (5)	1.6 (5)	3.4 (10.6)	2.4 (7.5)	1.6 (5)
INOX-ABA 2.7 t	7.5	2.7	7.5	15	5.4	15	3.8 (10.5)	2.7 (7.5)	2.7 (7.5)	5.7 (15.75)	4 (11.25)	2.7 (7.5)
	At a lift with one strand and two parallel strands where the inclination angles are at the max. ± 7°. the lifting methode can be assumed as a vertical lift.							less than		0	0	

Table 5: WLL-overview




Example INOX-ABA 2,7 t

2-leg 0-45°: WLL x Factor: 2.7 t x 1,4 = **3.8 t** WLL x Factor (Bracket value): 7.5 t x 1,4 = **10.5 t**

Туре	WLL [t] will	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	T [mm]	weight [kg/pc.]	RefNo.
INOX-ABA 0.8 t	0.8	22	12	70	32	12	50	38	0.2	7912396
INOX-ABA 1.6 t	1.6	30	16	100	35	16	57	41.5	0.45	7912397
INOX-ABA 2.7 t	2.7	41	23	137	50	21	80	59	1.1	7912398

Table 6: Dimensioning

Subject to technical alterations






Abb./Pic. 4: Dimensioning




Abb./Pic. 5: Permitted loading directions